Pol. (1922) Department.

Three SERIES. E

G.O. No. 817 (2)

DATED 30-8-22

Rec'd C.R. 13-9-...

[Despatch Abstract.]

OFFICE OF THE INSPECTOR-GENERAL OF PRISONS, MADRAS,

Ootacamund, *Dated* the 10th May 1922

It is requested that any reply to this letter may be addressed to
Ootacamund

From

Lieut-Col. J.F.Cameron. I.M.S.,

INSPECTOR-GENERAL OF PRISONS, MADRAS

To

Secretary to Government

Law (General) Department,

Fort St. George,

I have thehonour to submit a copy of Memorandum No. 2891, dated the 24/25th April 1922 from the Superintending Engineer, III Circle, Bellary, on the subject of linking the drinking water supply to the Central Jail, Bellary, from the artesian well in the Bellary Cantonment.

2. The proposal to improve the drinking water supply to the Central Jail, Bellary, by the installation of a pump in connection with the well and distributing water through pipes at an approximate cost of Rs.12,000/- was approved in G.O.No. 949-W. datedthe 23rd June 1920. Necessary provision was made in the Civil Works Budget Estimate for 1921-1922 - Vide G.O.No. 783-W. dated the 6th June1921. A sum of Rs.4,500/- was spent on the purchase of supply pipes and the erection of masonry walls and pillars for two cisterns.

obtained for the Central Jail from the artesian well, if chased from the Military Authorities.

On receipt of G.O. No. 389-W. dated the 1st May 1922, sanctioning the purchase of the water supply plant, the Executive Engineer was asked to abandon the original scheme in favour of linking the Central Jail, Bellary with the artesian well in Bellary Cantonment. This scheme being altogether different from the one under execution. the Superintending Engineer requires separate sanction of Government to carry it out. I am in favour of the new scheme as it does not exceed the sanctioned estimate. The old well water was repeatedly condemned as unfit for drinking and although we proposed chlorinating it, there is no reason to use this water now that another and unexpected excellent water supply is available for the same money.

required to complete the original scheme has been provided in the "41 Civil Works" Budget Estimate for 1922-1923. If so, the sanction of Government is solicited to utilize this amount towards the new scheme. If no allotment has been made, it is requested that the necessary funds (Viz., Rs.8,000) may be provided for the work. This amount will be sufficient, it is considered, as pipes to the value of Rs.3,500/- purchased for the original scheme will be used.

I have the honour to be,
Sir,
Your most obedient servant,

Lieut.Col.I.M.S.,
Inspector General of Prisons.

Copy of Memorandum No. 2891, dated the 24/25th April 1922, from the Superintending Engineer, III Circle Bellary.

Reference:- Drinking water supply to the Central Jail, Bellary from the Artesian Well in the Cantonment., Bellary. Executive Engineer's No. 1823, dated the 7th April 1922 and 1962, dated the 12th April 1922

Bellary, from the Artesian well in the Cantonment, being altogether a different scheme from the one under execution, the sanction of Government is necessary to carry it out. The Executive Engineer is requested to expedite submission of the approximate estimate for transmission to the Inspector General of Prisons to obtain the necessary sanction.

Copy to the Inspector-General of Prisons, with reference to his No. C/1339, dated the 30th March 1922 to the Superintendent, Central Jail, Bellary. A grant of Rs.11,500/- will be necessary to work out the scheme. Please address Government immediately and arrange for the allotment. amount actually needed. Rs 8000 - vide para 4 of my letter on p 2 ante

(T r u e C o p y).

V Srinivasarao

For Inspector-General of Prisons.

Law (Genl) Dept

Memo / 25-26 C-2 d/13.6.22

Ref. his letter No. G. 2398 d/ 13.5.22. — Central Jail Bellary — water supply scheme -

It will be seen from Fo 457 W d/15.5.22 (copy enclosed) that ~~only a provision~~ of Rs540 only a provision has been made in the current year for this work ~~this work~~ The Jt. Sy. of Prisons is requested to state if the demand of Rs 800 can be met by re-appropriation from the grant of Rs 2 13 280 provided for major works in charge of Civil officers

12.6.22

No. G.327

OFFICE OF THE INSPECTOR-GENERAL OF PRISONS, MADRAS,

19 22

It is requested that any reply to this may be addressed to the

Lieut.Col.J.P.Cameron,I.M.S. C29644

INSPECTOR-GENERAL OF PRISONS. MADRAS, 196.22

SECRETARY TO GOVT. 19-JUN-1922 LAW DEPARTMENT

To

THE Secretary to Government

Law(General) Department,

Fort Saint George.

May be sent pending receipt of reply to memo no 1524 dy 15.6.22. The letter apparently written before receipt of the memo

ENCLOSURES.

I have the honour to request to be informed when orders will be passed on my letter No. G/239 dated the 13th May 1922, requesting sanction for linking up the drinking water supply from the Artesian well in Bellary Cantonment to the Central Jail, Bellary. in preference to the previously sanctioned scheme of connecting up the existing

allotment of necessary funds to carry on the work. The work being of a pressing nature, early orders are - -- solicited.

I have the honour to be,

Sir,

Your most obedient servant,

J.P. Cameron

Lieut.Col.I.M.S.,

Inspector-General of Prisons.

OFFICE OF THE INSPECTOR-GENERAL OF PRISONS, MADRAS,

No. 9/372 Ootacamund, *Dated* 23rd June 2.

It is requested that any reply to this letter may be addressed to Ootacamund

From

Lieut. Col. J.P. Cameron, I.M.S.,

INSPECTOR-GENERAL OF PRISONS, MADRAS,

To

Law (General) Department.

SIR

With reference to Memorandum No. 2526 C-2. dated the 13th June 1922. I have the honour to state that no re-appropriation is possible from the grant of Rs.2,13,280/- provided in the Civil Works Budget Estimate for 1922-23 for Major Works in charge of Civil Officers, and to request that necessary allotment may be sanctioned, in view of the urgency of water supply to the Central Jail, Bellary. A sum of Rs.500/- only has been provided in the Public Works Budget for the work and the balance required is only the amount surrendered by the Public Works Department and may

I have the honour to be,

Sir,

Your most obedient servant,

Lieut.-Col I.M.S.,
Inspector-General of Prisons.

OFFICE OF THE INSPECTOR-GENERAL OF PRISONS, MADRAS,

Ootacamund *Dated* the 15th July 1922.

It is requested that any reply to this letter may be addressed to Ootacamund.

From

Lieut-Col. J.P.Cameron, I.M.S., C 33955 19/7/22

INSPECTOR-GENERAL OF PRISONS, MADRAS,

To

THE Secretary to Government,

Law (General) Department,

Fort St. George, Madras.



With reference to the correspondence ending with this office No.G/372, dated the 23rd June 1922, I have the honour to submit plans and estimate amounting to Rs.11550/- for linking up the drinking water supply from the artesian well in the Bellary Cantonment to the Central Jail, Bellary with a 2" main. The Superintending Engineer, III Circle, Bellary, in his letter No.4504, dated the 1st July 1922 - copy enclosed- strongly recommends a 2½" main and in that case, the cost of the scheme would amount to Rs.14,350/- This has my approval.

2. It has been reported vide para 4 of this letter on page 2 that the work has been put in hand, in anticipation of the approval of Government and I would urge that Government may be pleased to sanct a sum of Rs.10,175/- instead of Rs.8,000/- applied for in this office No. G/239, dated the 13th May 1922, in view of the urgency of water supply to the Central Jail, Bellary.

I have the honour to be, Sir,
Your most obedient servant,

Ramachandra Rao

For Inspector-General of Prisons.

Rao

Copy of letter No. 4504, dated the 1st July 1922, from M.R. Kharegat Esquire, A.M.I.C.E., Superintending Engineer, III Circle Bellary, to the Inspector-General of Prisons, Ootacamund.

In reference to your endorsement No.3391, dated 13th May 1922, I forward herewith detailed plans and estimate, the la amounting to Rs.11,550/- for linking up the artesian well with the Central Jail, Bellary, for improving the water supply and request you to obtain the administrative approval of Government, in lieu of the scheme administratively approved in G.O.No.949-F, dated the 23rd June 1920.

2. It is presumed that in the interests of the Alipuram Camp Jail, the Jail Department will supplement the present pumping plant at the artesian well by another set which will be capable of pumping water to the reservoir to be erected at the Central Jail. Without such a guarantee I could not recommend the scheme. The recent temporary breakdown of the present pump at the Artesian well has emphasised the necessity for a second pump.

3. I would strongly recommend that a $2\frac{1}{2}$" main should be allowed from the artesian well to the Central Jail instead of the 2" provide in the estimate, thus reducing the time for pumping from $6\frac{2}{3}$ to $3\frac{2}{3}$ hours per day to fill the reservoir at the Central Jail, which would bring the amount of the estimate to Rs.14,350/-

4. - The Executive Engineer, Bellary Division has been asked to put the new scheme in hand in anticipation of approval of the Government to the scheme and allotment of funds.

A.S

In the circumstances explained in para 3 of the D.O. letter ~~of~~ this proposal to abandon the original scheme of pumping installation in favour of the proposed one viz linking the Central Jail Belgaum with the artesian well in the Belgaum Cantonment may ~~it~~ kindly be approved and the case transferred to P.W.D for the issue of order.

As regards funds please see para 4 of D.O. letter under ref. 2 C.F. A sum of Rs. 8,000 is required while a provision ~~of~~ Rs 5400 has been made in the budget Estimate for 1922-23 under XXXX 41 Prot. Civil works. The extra expenditure will have to be met by re-appropriation from the amount provided for works in charge of P.W. Officers ~~of the Irrigation Branch~~ may not be possible to make any re-appropriation from the provision for jail works. Seeing that the total amount provided for all ~~jail~~ works ~~in~~ is only Rs 20 420.

P.W.D
20-5-22

on this case is submitted.

Although the I.G. states that the cost of the new scheme will not exceed the cost of the one sanctioned in Lr No 949 W dt 23-6-20, there is no definite information as to the cost. It will be seen from p 3 ante that the S.E. has called for a fresh estimate. The draftsman therefore calls on the S.E. to submit a fresh estimate in supersession of the one approved in Lr No 949 W dt 23-6-20.

Funds Please see para 2 of the Law (Legal) dept note on p ante. For the jail (clearing) works under Civil offices there is a total provision of Rs 2 13,280 in the Current Year's budget — vide item 22 of Appx 8-9 of the Pr. S. Budget but a view to determine whether we should come for a Supplementary Vote to meet this demand Law (Legal) may be requested to ascertain from the I.G. whether the demand of Rs 5000 in this case cannot be met by Reappropriation from the above grant.

C.T.N
8/6

Law Govt

Mr. L. & B. Rep
para 2 ante
page 1 ante
LR
Flow

ASSISTANT SECRETARY
12-JUN-1922
LAW DEPARTMENT

P4CF Issued as memo 2526C-2 d 13.6.22.

P.5CF [Cho 2964C] from the Dy. of Prisons No R. 327 d 17.6.22

P.6CF [Cho 3058C] No R. 372 d 23.6.22.

The D Dy of Prisons reports that no re-appropriation is possible and requests that an additional allotment may be applied for. The case must now be returned to P.W.D for reappropriation from other authorised disposals

RVK
27/6

Secy

Dy Secy 27/6/22

P.W.D

for Secy.

The cost of the original scheme of pumping installation in the Bellary Jail is Rs 12550 and a sum of Rs 12000 was provided for the work in 1921-22. In the Schedule of demands for 1922-23, the B.550 SG applies for the balance of the estimate shortage and this has been provided in the Current year's budget. It is observed from the D Co's letter on 16.1.22 that there had been an expenditure of Rs 2500 only in 1921-22 on the purchase of pulley pipes etc against the above allotment for the work

SECRETARIAT SECTION GOVERNMENT OF INDIA
30-JUN-1922
PUBLIC WORKS DEPARTMENT

Rev B 3/7/22

17

The present proposal is to connect the Central Jail Bellary with the artesian well in the Cantonment which is estimated to cost about Rs 11500 and in the draft order for this proposal to sanction this scheme. On the assumption that the pipes already purchased for the Mysuil scheme would be used in the new scheme, the D.G. Casualty was to complete the new scheme Rs 5000 would be sufficient and asks for the allotment of the same. Jt Secretary Land (Genl) wants this dept to suggest

Deficit - Rs 5000
Existing provision } 570
7400
or 7000

reappropriation to meet this demand from the funds at our disposal. There are no funds available with this dept at present and there is no probability of any funds being becoming available in the near future unless the D.G is able to suggest any saving from his grant for Jail works in charge of Civil Offrs the provision for works in charge of P.W. Offrs is very limited Rs Rs 20,420 which is spread over 4 works and it is not therefore possible to suggest any reappropriation from this grant. In the circumstances this dept is constrained that the work will have to be postponed until funds become available this

these remarks, the file may be returned to Law (Conl), etc

MR
7.7.22

8/7/22

thro' [illegible]

PWD W.O. No 1124/S&A—
8.7.22

3283/F
11-7-22



Submitted to orders. The Dy. Inspr. of Prisons considers the scheme as urgent. If the expenditure is not incurred by re-appropriation which the Dy. says is not possible the work will have to be deferred till 1.4.1923 or the Dep. Conl will have to approach for a supplementary grant if Govt consider the work as imperatively urgent.

RVK
12/7/22

Pg
11-7-22

12.7.22

The original estimate was for 12,550. Rs 12000 were provided for in last year & Rs 550 in this years budget.

2. Last year pipes for 4500 were purchased. Meanwhile work was stopped, as, thanks to the purchase of the Water plant from the Military, a better & cheaper Main was feasible. The revised scheme costs

Meanwhile last year expired & Rs 7500 lapsed To execute the revised estimate we want this sum in addn to the 550 proposed Moreover the prices already purchased will

In the olden days, there was a grant for incomplete works & I believe that the system was given up as it was expected that the savings on current years provisions would be ample But not so in a year like this when every item has been rigorously pruned down.

5. I propose with the sanction of Finance to ask for a supplementary grant for Rs 8000

14/7/22

Finance

Financial Dept

~~In view of the urgent necessity for a good water supply for the jail, this dept may perhaps agree to move for a supplementary grant for Rs 8000~~

14/7/22

G.O. 383-I
14/7/22
Finance dt. 160 (camp)
14/7/22

the work considered imperative
urgent I do not appear that the
Finance Dept should consent to
supplementary grant which must
have the effect of increasing our
deficit

WJ
14/7.



work with Treasury will be stood
suspending
WJ

grant of Rs 7,460 has to be raised to Rs 10,175.

Submitted that in the circumstances explained paras 2-4 of the Supdg Engineer's letter on p.8 CP is may be done with the concurrence of the nance Deptt.

¶ 2 In para 2 of his letter, the S.E, IIIrd circle ~~[illegible]~~ makes mention of the break down of the mping plant at the Alipuram Camp Jail and the cessity for its ~~[illegible]~~ supplemented by another set. In his esent letter the Dy has not asked for funds for e purpose We will presumably address the Govt separately on the subject.

The S.E has in anticipation of Govt sanction installed the E.E. Pelleys down to put the new scheme in hand. The work is imperative To Rs. per enclin of the present ~~[illegible]~~ estimate for Rs ~~10,175~~ 14,350

AO
RLK
29/7/22

Please see Secretary's note on p 7 ante. The proposal to ask for a Supplementary grant of Rs. 10,175 may be accepted

24.7.22

22/7/22



A.S.,

The matter has been under Revision and a Supplementary grant to the value of Rs. 10,175 will be moved in the Select Committee on the Demand for Miscellaneous Items and Extra Demands for Grants for Public Works & Irrigation. That Committee will doubtless consult the Secretary before [illegible] adverse

3/8/22

order approving the plans & Estimates as submitted. which may be sent to Law (Secl) for acceptance

11-8-22

C.T.I
14/8

Through S.E.
(Under Secretary's U.O. No. 14/8/22)

From Sho No 1121WSHoA-3
15-8-22

Law (Secl) Dept.



CJ827C
CJ828C
Xp 8 encls

Please see para 3 of the S.E.'s letter on p8 C.F and the concluding portion of para 1 of the D.S.'s letter on p7 C.F. They propose to allow a 2½" main instead of the 2" provided in the estimate, (+ the dept has accepted it) bringing the amount of the estimate to Rs 14,350/- But the draft order provides for a sum of Rs 11,550 which has to be raised to Rs 14,350. It is also submitted that after orders are issued, the P.W.D may be asked to forward the original of the proceedings, as the paper will be required for reference when the matter places before the Finance Committee and the Leg. Council in connection with the motion for the supplementary grant necessitated by this work.

16.8.22.

2 The draft order may now be ~~[illegible]~~ circulated to M3

As regards funds a supplementary demand will be made by Law / Finance (J) Kindly quote

C.T.I.
25/4

M3

C.T.II
29/4 DC